

Behavioral Risk Factor Surveillance by Race and Ethnicity age 18 and above 2004

	Diabetes	Current Smoking	Overweight (BMI >=25 to 29.99)	Obese (BMI>=30)	Acute Alcohol Risk	No Health Insurance	Heavy Alcohol Risk
Bexar County Non Hispanic White	8.6%	22.0%	28.9%	28.1%	18.6%	14.8%	8.2%
Bexar County Hispanic	9.7%	18.4%	37.6%	34.2%	21.1%	31.8%	7.9%
Bexar County Total	9.6%	19.0%	34.7%	30.7%	18.4%	22.6%	7.9%
Texas Non Hispanic White	7.1%	21.8%	37.1%	23.2%	15.4%	13.9%	6.0%
Texas Hispanic	7.9%	18.8%	39.3%	29.2%	18.7%	51.4%	4.8%
Texas African American	11.4%	20.0%	33.5%	36.6%	10.3%	27.3%	3.4%
Texas Total	7.7%	20.5%	37.2%	25.8%	15.7%	26.8%	5.2%

Bexar County 2004 Behavioral Risk Factor Surveillance by Race and Ethnicity



Texas 2004 Behavioral Risk Factor Surveillance by Race and Ethnicity



Note: 2004 Behavioral Risk Factor Surveillance Survey (BRFSS) included 441 randomly selected Bexar county residents.

Note: There were insufficient responses from the African American population in Bexar County to reliably estimate risk factors for 2004.

Note: Acute alcohol risk = 5 or more drinks on an occasion in the past 30 days.

Note: Heavy alcohol risk = > 2 drinks per day men, > 1 drink per day women - during the past 30 days.

 $\hbox{Note: All reported rates (\%) are weighted for Texas demographics and the probability of selection and}\\$

thus are not derived from the simple division of numerator and denominator cases.

Source: Behavioral Risk Factor Surveillance System, 2004.

Prepared by: Community Assessment Team

Center for Health Statistics

Texas Department of State Health Service

May 10, 2005

Jimmy.Blanton@dshs.state.tx.us